

SEXUALLY TRANSMITTED INFECTIONS

CHLAMYDIA /23mks

Main Age Group Affected:
2mks

Areas of Body Affected:
5mks

Risk for transmission:
5mks

Symptoms Female:
3mks

Symptoms Male:
3mks

Symptoms Male & Female
3mks

Prevention:
2mks

GONNORRHEA

/17mks

**Risk for transmission:
5mks**

**Symptoms Female:
4mks**

**Symptoms Male:
3mks**

**Symptoms Male & Female:
3mks**

**Prevention:
2mks**

SYPHILLIS

/18mks

Risk for transmission:
4mks

Symptoms Primary:
3mks

Symptoms Secondary:
5mks

Symptoms Tertiary:
4mks

Prevention:
2mks

HPV

/11mks

Main Age Group Affected:
1mk

Risk for transmission:
4mks

Symptoms
4mks

Prevention:
2mks

TRICHOMONIOSIS

/13mks

What is it?

2mks

Risk for Transmission:

4mks

Symptoms Female:

3mks

Symptoms Male:

2mks

Prevention:

2mks

VIRAL

GENITAL HERPES

/18mks

Two Types of Herpes:

4mks

Risk for transmission:

4mks

Symptoms Primary:

3mks

Symptoms Recurrent:

4mks

Prevention:

3mks

HIV /17mks

Of Canadians Affected:

1mk

Risk for transmission:

5mks

Symptoms Acute:

3mks

Symptoms Chronic Symptomatic:

5mks

Prevention:

3mks

Pubic Lice

/16mks

What is it?

2mks

Body Parts Affected:

4mks

Risk for Transmission:

3mks

Symptoms:

3mks

Treatment:

4mks